

SEP. 29. 2003 4:12PM

MEDTRONIC LAW DEPT

NO. 7533 P. 1/16



Medtronic

Facsimile Cover Sheet

To: Sang Yeop Paik
Company: United States Patent and
Trademark Office

Fax: 703-872-9303

From: Paul H. McDowall
Company: **Medtronic**
Phone: 763 514 3351
Fax: 763 514 6982

Date: September 29, 2003

**Pages including this
cover page:** 16

Comments: **Docket:** P-7443.00
Serial No.: 09/736,640

**RECEIVED
CENTRAL FAX CENTER**

SEP 30 2003

OFFICIAL

IF TELECOPY IS ILLEGIBLE OR ALL PAGES HAVE NOT BEEN RECEIVED, PLEASE CONTACT
KATHY ALTMAN AT TELEPHONE (763) 514-3392 IMMEDIATELY.

THE INFORMATION CONTAINED IN THIS FACSIMILE MESSAGE IS ATTORNEY PRIVILEGED AND CONFIDENTIAL
INFORMATION INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY NAMED ON THIS TRANSMITTAL
FORM. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED
THAT ANY DISSEMINATION, DISTRIBUTION, OR COPYING OF THIS COMMUNICATION IS STRICTLY
PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE IMMEDIATELY NOTIFY US
BY TELEPHONE, AND RETURN THE ORIGINAL MESSAGE TO US AT THE ADDRESS LISTED ABOVE VIA THE U.S.
POSTAL SERVICE. THANK YOU.

SEP. 29. 2003 4:12PM

MEDTRONIC LAW DEPT

NO. 7533 P. 2/16

DOCKET NO.: P-7443.00

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
AMENDMENT TRANSMITTAL


In re Application of: Erick J. Panken, et al.

For: Atrial Aware VII – A Method for Atrial Synchronous Ventricular (VDD/R) Pacing Using the Subcutaneous Electrode Array and a Standard Pacing Lead

Serial No.: 09/736,640

Filed: December 14, 2000

CERTIFICATE UNDER 37 CFR §1.8 I hereby certify that this Amendment and Transmittal and the paper(s), as described herein are being sent to telefacsimile No. (703) 872-9303, Art Unit 3742, Attn: Examiner Sang Y. Paik, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 29th day of September, 2003.


Signature
Kathleen M. Allman
Printed Name

Mail Stop NON-FEE AMENDMENT
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

We are transmitting herewith the attached:

☒ AMENDMENT

☐ Applicant hereby petitions for one-months' extension of time. If an additional extension of time is required, please consider this petition therefor.


☐ Please charge Deposit Account No. 13-2546 in the amount of \$_____ for the _____ fee.

☒ Please charge any additional fees or credits to Deposit Account No. 13-2546 which may have been overlooked on this Amendment Transmittal with regard to this filing. A duplicate of this transmittal is enclosed.

☒ Applicant believes that no extension of time is required. However, if an extension of time is required, please consider this a petition therefor to provide for the possibility that applicant has inadvertently overlooked the need for an extension of time.

Date

29 Sept. '03


Paul H. McDowall, Reg. No. 34,873
Telephone: (763) 514-3351
No. 27,581

PATENT**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicant: Erik J. Panken, et al. Docket: P-7443.00
Serial No.: 09/736,640 Group Art: 3742
Filed: December 14, 2000 Examiner: Sang Y Paik
Title: ATRIAL AWARE VVI – A METHOD FOR ATRIAL
SYNCHRONOUS VENTRICULAR (VDD/R) PACING USING THE
SUBCATANEOUS ELECTRODE ARRAY AND A STANDARD
PACING LEAD

**RECEIVED
CENTRAL FAX CENTER**

SEP 30 2003

OFFICIAL**AMENDMENT**

Assistant Commissioner for Patents
U.S. Patent and Trademark Office
Alexandria, VA 22313-1450

Dear Examiner Paik:

This Amendment responds to the final Office Action mailed 29 July 2003, which Office Action set a shortened three-month statutory period for response that expires 29 October 2003. Pursuant to the Rule 8 certificate accompanying this Amendment, Applicants assert that the Amendment is timely filed within two months of the mailing date of the final Office Action.

In the Office Action pending claims 1 through 14 stand rejected; specifically, claims 1 – 5 stand rejected under 35 U.S.C. §102(b) and 35 U.S.C. §102(e) and claims 6-14 stand rejected under 35 U.S.C. §103(a).

Please amend the above-identified application as follows: